

Name \_\_\_\_\_


Math 311 Exam 1 Version B Spring 2015

Section 502 P. Yasskin

Points indicated. Show all work.

1	/30	5	/20
2	/10	6	/15
3	/10	7	/15
4	/10	Total	/110

1. (30 points) Solve the traffic flow system shown at the right. Find the smallest non-negative values of  $w$ ,  $x$ ,  $y$ ,  $z$ . In your augmented matrix, keep the variables in the order  $w$ ,  $x$ ,  $y$ ,  $z$ .



2. (10 points) By definition, a matrix,  $A$ , is idempotent if  $A^2 = A$ .  
Prove if  $A$  is idempotent, then  $\mathbf{1} + A$  is non-singular and  $(\mathbf{1} + A)^{-1} = \mathbf{1} - \frac{1}{2}A$ .

3. (10 points) If  $A$  is a  $50 \times 60$  matrix while  $B$  and  $C$  are  $60 \times 80$  matrices, prove  $A(B + C) = AB + AC$ .


HINT: Prove equality of the  $ij$ -component of each side.

4. (10 points) A matrix  $A$  satisfies  $E_1 E_2 E_3 A = B$  where

$$E_1 = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix} \quad E_2 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 2 \end{pmatrix} \quad E_3 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 4 & 0 & 1 \end{pmatrix} \quad B = \begin{pmatrix} -5 & 3 & * \\ 0 & 2 & * \\ 0 & 0 & -2 \end{pmatrix}$$

and the \*'s represent unknown non-zero numbers. Find  $\det A$ .

5. (20 points) Phosphoric acid ( $H_3PO_4$ ) combines with sodium hydroxide ( $NaOH$ ) to produce trisodium phosphate ( $Na_3PO_4$ ) and water ( $H_2O$ ) according to the chemical equation:



To balance this chemical equation, you must solve the system

$$H : \quad 3a + b = 2d$$

$$P : \quad a = c$$

$$O : \quad 4a + b = 4c + d$$

$$Na : \quad b = 3c$$

- a. Write out the augmented matrix for this system of 4 equations in 4 unknowns. DO NOT SOLVE.

- b. Compute the determinant of the matrix of coefficients.

- c. What property of the augmented matrix says there is at least one solution? (Circle one.)

- i. The fact that the determinant of the matrix of coefficients is non-zero.
- ii. The fact that the determinant of the matrix of coefficients is zero.
- iii. The fact that the system is homogeneous (the right hand sides are all zero).
- iv. The fact that the matrix of coefficients is square ( $4 \times 4$ ).

- d. What additional property says there are infinitely many solutions? (Circle one.)

- i. The fact that the determinant of the matrix of coefficients is non-zero.
- ii. The fact that the determinant of the matrix of coefficients is zero.
- iii. The fact that the system is homogeneous (the right hand sides are all zero).
- iv. The fact that the matrix of coefficients is square ( $4 \times 4$ ).

6. (15 points) Let  $A = \begin{pmatrix} 1 & 2 & a \\ 4 & 3 & b \\ c & d & 0 \end{pmatrix}$ . Given that  $\det(A) = 4$ , determine each of the following:

$$\begin{vmatrix} 1+c & 2+d & a \\ 4 & 3 & b \\ c & d & 0 \end{vmatrix} = \underline{\hspace{2cm}} \quad \begin{vmatrix} 1 & 6 & a \\ 4 & 9 & b \\ c & 3d & 0 \end{vmatrix} = \underline{\hspace{2cm}} \quad \begin{vmatrix} 2 & 1 & a \\ 3 & 4 & b \\ d & c & 0 \end{vmatrix} = \underline{\hspace{2cm}}$$

$$\det(3A) = \underline{\hspace{2cm}} \quad \det(A^{-1}) = \underline{\hspace{2cm}}$$

7. (15 points) For each of the following sets with operations, determine whether it forms a vector space. If it does, just say "Yes". If it does not, say "No" and give an axiom or other property it violates and show why.

- a. The set of infinite sequences,  $S = \{a = [a_1, a_2, \dots, a_n, \dots]\}$ , with  $a \oplus b = [a_1 + b_1, a_2 + b_2, \dots, a_n + b_n, \dots]$  and  $\alpha \odot a = [\alpha a_1, \alpha a_2, \dots, \alpha a_n, \dots]$

- b. The set of traceless  $2 \times 2$  matrices  $M_0(2,2) = \left\{ A = \begin{pmatrix} A_{11} & A_{12} \\ A_{21} & A_{22} \end{pmatrix} \mid A_{11} + A_{22} = 0 \right\}$  with  $A \oplus B = \begin{pmatrix} A_{11} + B_{11} & A_{12} + B_{12} \\ A_{21} + B_{21} & A_{22} + B_{22} \end{pmatrix}$  and  $\alpha \odot A = \begin{pmatrix} \alpha A_{22} & \alpha A_{12} \\ \alpha A_{21} & \alpha A_{11} \end{pmatrix}$

- c. The set of traceless  $2 \times 2$  matrices  $M_0(2,2) = \left\{ A = \begin{pmatrix} A_{11} & A_{12} \\ A_{21} & A_{22} \end{pmatrix} \mid A_{11} + A_{22} = 0 \right\}$  with  $A \oplus B = \begin{pmatrix} A_{11} + B_{22} & A_{12} + B_{12} \\ A_{21} + B_{21} & A_{22} + B_{11} \end{pmatrix}$  and  $\alpha \odot A = \begin{pmatrix} \alpha A_{11} & \alpha A_{12} \\ \alpha A_{21} & \alpha A_{22} \end{pmatrix}$