

4. Susie has 30 different songs (15 rock, 5 rap, 6 country, and 4 classical) she wants to arrange on her MP3 player.

(a) How many different playlists of all her songs are possible?

(b) How many different playlists are possible if all songs of the same genre must be grouped together?

5. A jewelry store chain with 8 stores in Georgia, 12 in Florida, and 10 in Alabama is planning to close 10 of these stores.

(a) In how many different ways can this be done?

(b) The company decided to close 2 stores in Georgia, 5 in Florida, and 3 in Alabama. In how many different ways can this be done?

6. How many 4-person committees are possible from a group of 9 people if

(a) There are no restrictions?

(b) Both Jim and Mary must be on the committee?

(c) Either Jim or Mary (but not both) must be on the committee?

7. You have a box that contains 3 red, 4 black, 2 green, and 5 purple balls. If you take a sample of three balls from the box, in how many ways can you get

(a) Exactly 2 black balls and one green ball?

(b) No purple balls?

(c) At least two purple balls?

(d) Exactly 2 red balls or exactly one purple ball?

8. How many different 20-digit numbers can be formed from two 5's, three 2's, five 1's, six 4's, two 3's, an 8 and a 9?

11. An exam consists of ten multiple choice questions (each with 5 possible choices), of which eight must be answered correctly to pass the exam. In how many different ways can a person who answers all the questions on the exam pass the exam?

12. An experiment consists of tossing a fair 4-sided die and flipping a fair coin.

(a) Describe an appropriate sample space for this experiment.

(b) Write the event, E , that heads is tossed on the coin.

(c) Write the event, F , that tails is tossed on the coin or a 3 is rolled on the die.

(d) Are E and F mutually exclusive events? Why or why not?

13. A pair of fair 6-sided dice are rolled and the outcomes on each die are recorded.

(a) Describe an appropriate sample space for this experiment.

(b) Is this a uniform sample space? Why or why not?

(c) How many simple events are associated with this experiment?

(d) How many total events are associated with this experiment?

(e) Write the event, E , that a sum of 7 is rolled.

(f) Find $P(E)$.

(g) Find the probability that a product of 8 is rolled or a 6 is rolled on one of the dice.

14. A chick is randomly chosen from a new box of multi-colored Peeps containing 3 yellow, 4 purple, 2 green, 1 red, and 6 pink chicks and its color is noted.

(a) Write a non-uniform probability distribution for this experiment.

(b) What is the probability that a green or red chick is chosen?

(c) What is the probability that a traditional yellow chick is not chosen?

15. Suppose $P(E) = 0.4$, $P(F) = 0.5$, and $P(E \cup F) = 0.6$. Calculate the following.

(a) $P(E \cap F)$

(b) $P(F^C)$

(c) $P(E^C \cup F^C)$

(d) $P(E^C \cap F)$

16. 200 students were surveyed about their regular vending machine purchases. 150 regularly purchase drinks, 75 regularly purchase snacks, and 30 don't make regular vending machine purchases. What is the probability that on a regular basis a randomly selected surveyed student
- (a) Purchases both drinks and snacks?
 - (b) Purchases only drinks?
 - (c) Does not purchase drinks?

17. The students in a statistics class were surveyed concerning their eye color. The findings were gathered in the table below.

	Blue Eyes (B)	Green Eyes (G)	Brown Eyes (W)	Other (O)	Totals
Females (F)	15	8	25	3	51
Males (M)	10	5	12	7	34
Totals	25	13	37	10	85

What is the probability that a randomly selected surveyed statistics student

- (a) Is female?
- (b) Has blue eyes?
- (c) Is female and has blue eyes?
- (d) Is female or has blue eyes?
- (e) Does not have green eyes?
- (f) Is a male or does not have brown eyes?

18. The following system of inequalities are constraints in a linear programming problem. Graph the feasible region. Label all lines and corner points.

$$\begin{aligned}x - y &\geq 0 \\x + y &\leq 10 \\10x + 9y &\geq 45 \\x &\geq 0 \\y &\geq 0\end{aligned}$$

- (a) At what point is the objective function $f = 5x + 4.5y$ maximized on this region and what is the maximum value? (If not possible, explain why not.)

- (b) At what point is the objective function $f = 5x + 4.5y$ minimized on this region and what is the minimum value? (If not possible, explain why not.)

19. SET UP the following Linear Programming problem. DO NOT SOLVE.

You manage an ice cream factory that makes three flavors: Vanilla, Chocolate, and Strawberry. Into each batch of Vanilla go two eggs, one cup of milk and two cups of cream. Into each batch of Chocolate go one egg, one cup of milk and two cups of cream, while into each batch of Strawberry go one egg, two cups of milk and two cups of cream. You have in stock 220 eggs, 120 cups of milk, and 200 cups of cream. You make a profit of \$3 on each batch of Vanilla, \$2 on each batch of Chocolate, and \$4 on each batch of Strawberry. How many batches of each flavor should you make in order to maximize your profit?

20. A company is selling two perfumes, A and B , for \$20 and \$17 per ounce, respectively. It takes the company 3 hours and \$12 to produce each ounce of perfume A and 1 hour and \$15 for each ounce of perfume B . If the company has a total of 90 hours and \$600 for production, and the company is not allowed to make more than 20 ounces of perfume A , how many ounces of each perfume should the company produce in order to maximize its revenue? What is its maximum revenue? Is anything leftover at the optimal production level?

21. True or False. $U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$ and $A = \{0, 1, 2, 3, 4, 5\}$.

T F $\emptyset \in A$ | T F $n(A) = 5$ | T F $n(\{3, 4\}) = 2$

T F $\emptyset \subseteq A$ | T F $\{1, 3, 5\} \in A$ | T F $n(\emptyset) = 1$

T F $\{1, 2, 3\} \subset A$ | T F $2 \in A$ | T F $10 \in A^C$

T F $2 \subseteq A$ | T F $\{\emptyset\} = \emptyset$ | T F $0 = \emptyset$

22. $A = \{k, l, b\}$

(a) How many total subsets does the set A have?


(b) List all the subsets of A .

(c) How many of the subsets are proper subsets?

(d) Give an example of two subsets of A that are disjoint. If this is not possible, then explain why not.

23. Shade the part of a Venn diagram that is represented by $(A^C \cup B) \cap (C \cup A)$

24. Write the set notation that would represent the shaded portion of the Venn diagram.



25. $U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$, $A = \{1, 3, 5, 7, 9\}$, $B = \{1, 2, 4, 7, 8\}$, and $C = \{2, 4, 6, 8\}$. Compute the following.

(a) $(A \cap B) \cup C$

(b) $A^C \cap B$

(c) $A \cap (B \cup C)^C$

26. In a survey of 300 high school seniors:
- 120 had not read *Macbeth* but had read *As You Like It* or *Romeo and Juliet*.
 - 61 had read *As You Like It* but not *Romeo and Juliet*.
 - 15 had read *Macbeth* and *As You Like It*.
 - 14 had read *As You Like It* and *Romeo and Juliet*.
 - 9 had read *Macbeth* and *Romeo and Juliet*.
 - 5 had read *Macbeth* and *Romeo and Juliet*, but not *As You Like It*.
 - 40 had read only *Macbeth*.

Let $M = \text{Macbeth}$, $R = \text{Romeo and Juliet}$, and $A = \text{As You Like It}$.

- (a) Fill in a Venn diagram illustrating the above information.

- (b) How many students read exactly one of these books?

- (c) How many students did not read *Romeo and Juliet*?

- (d) How many students read *Romeo and Juliet* and also *Macbeth* or *As You Like It*?

- (e) Compute the value of $n(M \cup (R^C \cap A))$ and write a sentence describing this information in words.

- (f) Compute the value of $n(A^C \cap (R \cup M))$ and write a sentence describing this information in words.