

4.3: Logarithmic Functions

DEFINITION 1. The exponential function $f(x) = a^x$ with $a \neq 1$ is a one-to-one function. The inverse of this function, called the **logarithmic function** with **base** a , is denoted by $f^{-1}(x) = \log_a x$.

Namely,

$$\log_a x = y \quad \Leftrightarrow \quad a^y = x.$$

In other words, if $x > 0$ then $\log_a(x)$ is the exponent to which the base a must be raised to give x .

EXAMPLE 2. Evaluate

(a) $\log_2 16$

(b) $\log_3 \frac{1}{81}$

(c) $\log_{125} 5$

CANCELLATION RULES:

- $\log_a a^x = x$ for all $x \in \mathbb{R}$
- $a^{\log_a x} = x$ for $x > 0$.

Graphs of logarithmic functions $y = \log_a x$:

$a > 1$	$0 < a < 1$
y	y
1	1
1	1
x	x
0	0
Domain: Range: $\lim_{x \rightarrow \infty} \log_a x =$ $\lim_{x \rightarrow 0^+} \log_a x =$ Vertical asymptote: Horizontal asymptote:	Domain: Range: $\lim_{x \rightarrow \infty} \log_a x =$ $\lim_{x \rightarrow 0^+} \log_a x =$ Vertical asymptote: Horizontal asymptote:

Properties: Assume that $a \neq 1$ and $x, y > 0$.

$$\begin{aligned}\log_a(xy) &= \log_a x + \log_a y \\ \log_a\left(\frac{x}{y}\right) &= \log_a x - \log_a y \\ \log_a(x^y) &= y \log_a x\end{aligned}$$

Notation: *Common Logarithm:* $\log x = \log_{10} x$. (Thus, $\log x = y \Leftrightarrow 10^y = x$.)
Natural Logarithm: $\ln(x) = \log_e(x)$. (Thus, $\ln x = y \Leftrightarrow e^y = x$.)

Properties of the natural logarithms:

- $\ln(e^x) =$
- $e^{\ln x} =$
- $\ln e =$
- $\log_a x = \frac{\ln x}{\ln a}$, where $a > 0$ and $a \neq 1$;
- $\lim_{x \rightarrow \infty} \ln x =$
- $\lim_{x \rightarrow 0^+} \ln x =$

EXAMPLE 3. Find each limit:

(a) $\lim_{x \rightarrow \infty} \ln(x^2 - x) =$

(b) $\lim_{x \rightarrow 13^+} \log_{13}(x - 13) =$

(c) $\lim_{x \rightarrow 0^+} \log(\sin x) =$

(d) $\lim_{x \rightarrow 1} (\ln x)^{\sin x} =$

EXAMPLE 4. Find the domain of $f(x) = \ln(x^3 - x)$.

EXAMPLE 5. Solve the following equations:

(a) $\log_{0.5}(\log(x + 120)) = -1$

(b) $e^{5+2x} = 4$

(c) $\log(x - 1) + \log(x + 1) = \log 15$

(d) $\ln x^2 - 2 \ln \sqrt{x^2 + 1} = 1$

EXAMPLE 6. *Find the inverse of the function:*

(a) $f(x) = \ln(x + 12)$

(b) $f(x) = \frac{10^x - 1}{10^x + 1}$

EXAMPLE 7. Find an equation of the tangent to the curve $y = e^{2x}$ that is perpendicular to the line $x + 2y = 20$.

Change of Base formula:

$$\log_a x = \frac{\log_b x}{\log_b a}.$$

In particular,

$$\log_a x = \frac{\ln x}{\ln a}.$$

EXAMPLE 8. Using calculator evaluate $\log_2 15$ to 4 decimal places.