11.4: Equations of lines and planes

Lines

Lines determined by a point and a vector

Consider line L that passes through the point $P_0(x_0, y_0, z_0)$ and is parallel to the nonzero vector $\mathbf{v} = \langle a, b, c \rangle$.

Parametric equations of the line:

$$x = x_0 + at$$

$$y = y_0 + bt$$

$$z = z_0 + ct$$

EXAMPLE 1. Find parametric equations of the line

- (a) passing through the point (3, -4, 1) and parallel to $\mathbf{v} = \langle 7, 0, -1 \rangle$
- (b) passing through the origin and parallel to $\mathbf{v} = \langle 5, 5, 5 \rangle$

EXAMPLE 2. Consider the line L that passes through the points A(1,1,1) and B(2,3,-2). Find points at that L intersects the yz-plane.

Symmetric equations of the line: If $abc \neq 0$ then

$$\frac{x - x_0}{a} = \frac{y - y_0}{b} = \frac{z - z_0}{c}$$

If, for example, a = 0 then the symmetric equations have the form:

$$x = x_0, \quad \frac{y - y_0}{b} = \frac{z - z_0}{c}$$

EXAMPLE 3. Find symmetic equations of lines from Example 1.

Vector equation of the line:

$$\mathbf{r}(t) = \langle x_0, y_0, z_0 \rangle + t \langle a, b, c \rangle$$

where $P_0(x_0, y_0, z_0)$ is a given point on the line and $\mathbf{v} = \langle a, b, c \rangle$ is some vector which is parallel to the line, t is a parameter, $-\infty < t < \infty$.

EXAMPLE 4. Find vector equation of the line that passes through the points P(1, 1, -4) and Q(0, 3, -4).

EXAMPLE 5. Determine whether the lines

$$L_1: \quad x - 1 = \frac{y + 2}{3} = \frac{z - 4}{-1}$$

and

$$L_2: x = 2t, y = 3 + t, z = -3 + 4t$$

are parallel, skew, or intersecting.

Line segments

How to find parametric equation of a line segment:

- 1. Find parametric equation for the entire line;
- 2. restrict the parameter appropriately so that only the desired segment is generated.

EXAMPLE 6. Find parametric equations describing the line segment joining the points M(1, 2, 3)and N(3, 2, 1).

Planes

Planes parallel to the coordinate planes:

Planes determined by a point and a normal vector

A plane in \mathbb{R}^3 is uniquely determined by a point $P_0(x_0, y_0, z_0)$ in the plane and a vector $\mathbf{n} = (a, b, c)$ that is orthogonal to the plane. This vector is called a **normal vector**.

Assume that P(x, y, z) is any point in the plane. Let \mathbf{r}_0 and \mathbf{r} be the position vectors for P_0 and P respectively.

 $\label{eq:vector equation of the plane:} \mathbf{n} \cdot (\mathbf{r} - \mathbf{r_0}) = \mathbf{0} \qquad \Leftrightarrow \qquad \mathbf{n} \cdot \mathbf{r} = \mathbf{n} \cdot \mathbf{r_0}.$

Scalar equation of plane:

$$a(x - x_0) + b(y - y_0) + c(z - z_0) = 0.$$

Often this will be written as a **linear equation** in x, y, z,

$$ax + by + cz = d$$

where $d = ax_0 + by_0 + cz_0$.

EXAMPLE 7. Determine the equation of the plane through the point (1, 2, 1) and orthogonal to vector (2, 3, 4). Find the intercepts and sketch the plane.

EXAMPLE 8. Determine the equation of the plane through the points A(1,1,1), B(0,1,0) and C(1,2,3).

Two planes are **parallel** if their normal vectors are parallel.

Two planes are **orthogonal** if their normal vectors are orthogonal.

If two planes are not parallel, then they intersect in a straight line and the **angle** between the two planes is defined as the *acute* angle between their normal vectors.

EXAMPLE 9. Given four planes:

 $P_{1}: \quad 2x \quad + \quad 3y \quad + \quad z \quad + \quad 11 \quad = \quad 0$ $P_{2}: \quad -4x \quad - \quad 6y \quad - \quad 2z \quad + \quad 77 \quad = \quad 0$ $P_{3}: \quad 2x \quad - \quad 4z \quad + \quad 33 \quad = \quad 0$ $P_{4}: \quad -2x \quad + \quad 3y \quad + \quad z \quad + \quad 11 \quad = \quad 0.$

Determine whether the given pairs of the planes are parallel, orthogonal, or neither. Find the angle between the planes.

(a) P_1 and P_2

(b) P_1 and P_3

(c) P_2 and P_3

(d) P_1 and P_4

Line as an intersection of two non parallel planes:

$$L: \begin{cases} a_1x + b_1y + c_1z + d_1 = 0\\ a_2x + b_2y + c_2z + d_2 = 0 \end{cases}$$

The direction vector of L is $\mathbf{a} = \mathbf{n}_1 \times \mathbf{n}_2$.

EXAMPLE 10. Find an equation of the line given as intersection of two planes: