MATH 152, SPRING 2006 COMMON EXAM III - VERSION A

LAST NAME, First Name (print):

INSTRUCTOR:

SECTION NUMBER: _____

UIN: _____

DIRECTIONS:

- 1. The use of a calculator, laptop or computer is prohibited.
- 2. In Part 1 (Problems 1-10), mark the correct choice on your ScanTron form No. 815-E using a No. 2 pencil. For your own records, also record your choices on your exam! ScanTrons will be collected from all examinees after 90 minutes and will not be returned.
- 3. In Part 2 (Problems 11-15), present your solutions in the space provided. *Show all your work* neatly and concisely and *clearly indicate your final answer*. You will be graded not merely on the final answer, but also on the quality and correctness of the work leading up to it.
- 4. Be sure to write your name, section number and version letter of the exam on the ScanTron form.

THE AGGIE CODE OF HONOR

"An Aggie does not lie, cheat or steal, or tolerate those who do."

Signature: _____

DO NOT WRITE BELOW!

Question	Points Awarded	Points
1-10		50
11		10
12		15
13		6
14		9
15		10
		100

PART I

1. (5 pts)
$$\lim_{n \to \infty} \left[\frac{n^2 + 1}{n^2} \sin\left(\frac{\pi n}{2n+1}\right) \right] =$$
(a) -2
(b) 1
(c) -1
(d) 2
(e) doesn't exist

2. (5 pts) Which series converges, but not absolutely?

I.
$$\sum_{n=1}^{\infty} \frac{(-1)^n}{n^8}$$
 II. $\sum_{n=1}^{\infty} (-1)^{n+1} \left(\frac{n^5+2}{n^3}\right)$ III. $\sum_{n=1}^{\infty} \frac{(-1)^n}{\sqrt[4]{n}}$

- (a) only I
- (b) I and III
- (c) II and III
- (d) only III
- (e) I and II

3. (5 pts) The Maclaurin series for $1/(1+x^4)$ is ∞

(a)
$$\sum_{n=0}^{\infty} x^{4n}$$

(b)
$$\sum_{n=0}^{\infty} (-1)^n x^{4n}$$

(c)
$$\sum_{n=0}^{\infty} x^{2n}$$

(d)
$$\sum_{n=0}^{\infty} (-1)^n x^{2n}$$

(e)
$$\sum_{n=0}^{\infty} x^{-4n}$$

4. (5 pts) Compute
$$\sum_{n=1}^{\infty} \frac{1}{n(n+1)}$$
. (Hint: Use partial fractions)

- (a) $\frac{4}{5}$ (b) $\frac{5}{6}$ (c) 2 (d) 1 (e) $\frac{7}{6}$

5. (5 pts) Which of the following are true?

I. If
$$\lim_{n \to \infty} b_n = 0$$
, then $\sum_{n=1}^{\infty} b_n$ converges.
II. If $0 \le a_n \le b_n$ and $\sum_{n=1}^{\infty} b_n$ diverges, then $\sum_{n=1}^{\infty} a_n$ diverges.
III. If $\sum_{n=1}^{\infty} a_n$ converges, then $\lim_{n \to \infty} a_n = 0$.

- (a) I and III
- (b) only II
- (c) only III
- (d) II and III
- (e) only I

6. (5 pts)
$$\sum_{n=1}^{\infty} \frac{2^n}{3^n} =$$

(a) $\frac{2}{3}$
(b) $\frac{3}{2}$
(c) 3
(d) 2

(e) Does not exist

7. (5 pts)
$$\sum_{n=3}^{\infty} \frac{1}{n \ln n}$$

- (a) converges by the ratio test
- (b) diverges by the ratio test
- (c) converges by the integral test
- (d) diverges by the integral test
- (e) converges by the alternating series test

8. (5 pts) The sequence
$$\left\{\frac{\sin n}{n}\right\}_{n=1}^{\infty}$$

- (a) diverges, but is bounded
- (b) converges to 1
- (c) converges, but is not bounded
- (d) converges to 0
- (e) none of the above

9. (5 pts) For what values of x does the power series $\sum_{n=1}^{\infty} \frac{x^{2n}}{\sqrt{n}}$ converge?

- (a) for all x
- (b) $-1 \le x \le 1$
- (c) -1 < x < 1
- (d) $-1 \le x < 1$
- (e) only x = 0

10. (5 pts)
$$\sum_{n=1}^{\infty} \frac{1}{(1+n)n^p}$$

- (a) converges if p > 0
- (b) diverges for all $p \leq 1$
- (c) diverges if p > 1
- (d) diverges for all p
- (e) converges for all p

PART II

11. (10 pts) Find the radius and interval of convergence for the power series $\sum_{n=1}^{\infty} \frac{(x-3)^n}{n 4^n}$. Identify the test(s) you are using and clearly show your work.

12. Determine whether the infinite series converge or diverge. Identify the test(s) you are using and clearly show your work.

(a) (5 pts)
$$\sum_{n=1}^{\infty} \frac{e^n}{n!}$$

(b) (5 pts)
$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{1+\ln n}$$

(c) (5 pts)
$$\sum_{n=1}^{\infty} \frac{n}{n^{2.001} + 4}$$

Exam continues on next page

13. (6 pts) Find the Taylor series for $f(x) = e^{3x}$ at a = 2.

14. (a) (5 pts) Use the Maclaurin series for $\sin z$ to express $\int_0^1 \sin(x^2) dx$ as an infinite series.

(b) (4 pts) Find a bound on the error made when approximating
$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n^2}$$
 by $\sum_{n=1}^{9} \frac{(-1)^{n+1}}{n^2}$.

15. (a) (5 pts) Find two distinct *unit* vectors that are parallel to $\langle 1, 2, -2 \rangle$.

(b) (5 pts) Find the vector projection of $\mathbf{b} = \langle 4, 2, 0 \rangle$ onto $\mathbf{a} = \langle 1, -1, 1 \rangle$.

End of exam