
Name		
Math 311	Exam 1 Version A	Spring 2015
Section 502		P. Yasskin

Points indicated. Show all work.

1.	(30 points) Solve the traffic flow system shown			
	at the right. Find the smallest non-negative values			
	of w, x, y, z. In your augmented matrix, keep			
	the variables in the order $w$ , $x$ , $y$ , $z$ .			

1	/30	5	/20
2	/10	6	/15
3	/10	7	/15
4	/10	Total	/110



2. (10 points) By definition, a matrix, A, is nilpotent with degree 2 if  $A^2 = \mathbf{0}$ . Prove if A is nilpotent with degree 2, then  $\mathbf{1} - A$  is non-singular and  $(\mathbf{1} - A)^{-1} = \mathbf{1} + A$ .

**3**. (10 points) For an  $n \times n$  matrix A, define its trace to be  $tr(A) = \sum_{i=1}^{n} A_{ii}$  i.e. the sum of its diagonal entries. Prove, for  $n \times n$  matrices A and B, tr(AB) = tr(BA).

**4**. (10 points) A matrix A satisfies  $E_1E_2E_3A = B$  where

$$E_{1} = \begin{pmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{pmatrix} \qquad E_{2} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 1 \end{pmatrix} \qquad E_{3} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 5 & 1 \end{pmatrix} \qquad B = \begin{pmatrix} 3 & * & * \\ 0 & -4 & 7 \\ 0 & 0 & -2 \end{pmatrix}$$

and the \*'s represent unknown non-zero numbers. Find det A.

**5**. (20 points) Sulfuric acid ( $H_2SO_4$ ) combines with sodium hydroxide (NaOH) to produce sodium sulfate ( $Na_2SO_4$ ) and water ( $H_2O$ ) according to the chemical equation:

$$aH_2SO_4 + bNaOH \rightarrow cNa_2SO_4 + dH_2O$$

To balance this chemical equation, you must solve the system

$$H: 2a+b = 2d$$

$$S: \qquad a = c$$

$$O: 4a+b = 4c+d$$

$$Na: b = 2c$$

a. Write out the augmented matrix for this system of 4 equations in 4 unknowns. DO NOT SOLVE.

**b**. Compute the determinant of the matrix of coefficients.

- c. What property of the augmented matrix says there is at least one solution? (Circle one.)
  - i. The fact that the determinant of the matrix of coefficients is zero.
  - ii. The fact that the determinant of the matrix of coefficients is non-zero.
  - iii. The fact that the matrix of coefficients is square  $(4 \times 4)$ .
  - iv. The fact that the system is homogeneous (the right hand sides are all zero).
- d. What additional property says there are infinitely many solutions? (Circle one.)
  - i. The fact that the determinant of the matrix of coefficients is zero.
  - ii. The fact that the determinant of the matrix of coefficients is non-zero.
  - iii. The fact that the matrix of coefficients is square  $(4 \times 4)$ .
  - iv. The fact that the system is homogeneous (the right hand sides are all zero).

**6.** (15 points) Let 
$$A = \begin{pmatrix} 1 & 2 & a \\ 4 & 3 & b \\ c & d & 0 \end{pmatrix}$$
. Given that  $det(A) = 5$ , determine each of the following:

$$\begin{vmatrix} 1 & 2 & a \\ 4+c & 3+d & b \\ c & d & 0 \end{vmatrix} = \underline{\qquad} \begin{vmatrix} 1 & 4 & a \\ 4 & 6 & b \\ c & 2d & 0 \end{vmatrix} = \underline{\qquad} \begin{vmatrix} 4 & 3 & b \\ 1 & 2 & a \\ c & d & 0 \end{vmatrix} = \underline{\qquad}$$

$$det(2A) = \underline{\hspace{1cm}} det(A^{-1}) = \underline{\hspace{1cm}}$$

7. (15 points) For each of the following sets with operations, determine whether it forms a vector space. If it does, just say "Yes". If it does not, say "No" and give an axiom or other property it violates and show why.

**a**. The set of all power series centered at 3, 
$$S = \left\{ a = \sum_{n=0}^{\infty} a_n (x-3)^n \right\}$$
 with  $a \oplus b = \sum_{n=0}^{\infty} (a_n + b_n)(x-3)^n$  and  $\alpha \odot a = \sum_{n=0}^{\infty} \alpha a_n (x-3)^n$ 

**b.** 
$$F_{\text{even}}[-1,1] = \{f : [-1,1] \to \mathbb{R} \mid f(-x) = f(x)\} \text{ with } (f \oplus g)(x) = f(-x) + g(-x) \text{ and } (\alpha \odot f)(x) = \alpha f(-x)$$

**c.** 
$$F_{\text{odd}}[-1,1] = \{f : [-1,1] \to \mathbb{R} \mid f(-x) = -f(x)\} \text{ with } (f \oplus g)(x) = f(-x) + g(-x) \text{ and } (\alpha \odot f)(x) = \alpha f(-x)$$