

Chapter 2. Limits and rates of change  
Section 2.2. The limit of the function

**Definition.** We write

$$\lim_{x \rightarrow a} f(x) = L$$

and say "the limit of  $f(x)$ , as  $x$  approaches  $a$ , equals  $L$ " if we can make values of  $f(x)$  arbitrary close to  $L$  by taking  $x$  to be sufficiently close to  $a$  but not equal to  $a$ .

**Definition.** We write

$$\lim_{x \rightarrow a^-} f(x) = L$$

and say the **left-handed limit of  $f(x)$  as  $x$  approaches  $a$  (or the limit of  $f(x)$  as  $x$  approaches  $a$  from the left)**, equals  $L$  if we can make values of  $f(x)$  arbitrary close to  $L$  by taking  $x$  to be sufficiently close to  $a$  and  $x < a$ .


**Definition.** We write

$$\lim_{x \rightarrow a^+} f(x) = L$$

and say the **right-handed limit of  $f(x)$  as  $x$  approaches  $a$  (or the limit of  $f(x)$  as  $x$  approaches  $a$  from the right)**, equals  $L$  if we can make values of  $f(x)$  arbitrary close to  $L$  by taking  $x$  to be sufficiently close to  $a$  and  $x > a$ .

$$\lim_{x \rightarrow a} f(x) = L \text{ if and only if } \lim_{x \rightarrow a^-} f(x) = \lim_{x \rightarrow a^+} f(x) = L$$

**Example 1.** Given the graph of the function  $f$



Find:

1.  $\lim_{x \rightarrow 1} f(x)$
2.  $\lim_{x \rightarrow 2^+} f(x)$
3.  $\lim_{x \rightarrow 2^-} f(x)$
4.  $\lim_{x \rightarrow 3^+} f(x)$
5.  $\lim_{x \rightarrow 3^-} f(x)$

**Definition.** Let  $f$  be a function defined on both sides of  $a$ , except, possibly at  $a$  itself. Then

$$\lim_{x \rightarrow a} f(x) = \infty$$

means that the values of  $f(x)$  can be made arbitrary large by taking  $x$  to be sufficiently close to  $a$  but not equal to  $a$ .

**Definition.** Let  $f$  be a function defined on both sides of  $a$ , except, possibly at  $a$  itself. Then


$$\lim_{x \rightarrow a} f(x) = -\infty$$

means that the values of  $f(x)$  can be made arbitrary large negative by taking  $x$  to be sufficiently close to  $a$  but not equal to  $a$ .

**Definition.** The line  $x = a$  is called a **vertical asymptote** of the curve  $y = f(x)$  if at least one of the following statements is true:

$$\begin{array}{lll} \lim_{x \rightarrow a} f(x) = \infty & \lim_{x \rightarrow a^+} f(x) = \infty & \lim_{x \rightarrow a^-} f(x) = \infty \\ \lim_{x \rightarrow a} f(x) = -\infty & \lim_{x \rightarrow a^+} f(x) = -\infty & \lim_{x \rightarrow a^-} f(x) = -\infty \end{array}$$

**Example 2.** For the function  $g$  whose graph is shown, state the following:



1.  $\lim_{x \rightarrow -4} g(x)$
2.  $\lim_{x \rightarrow -1} g(x)$
3.  $\lim_{x \rightarrow 2} g(x)$
4.  $\lim_{x \rightarrow 6} g(x)$

**Example 3.** Find

(a.)  $\lim_{x \rightarrow 4^+} \frac{5}{x - 4}$

(b.)  $\lim_{x \rightarrow 4^-} \frac{5}{x - 4}$

(c.)  $\lim_{x \rightarrow 4} \frac{5}{x - 4}$

**Definition.** We write

$$\lim_{t \rightarrow a} \vec{r}(t) = \vec{b}$$

and say "the limit of  $\vec{r}(t)$ , as  $t$  approaches  $a$ , equals  $\vec{b}$ " if we can make vector  $\vec{r}(t)$  arbitrary close to  $\vec{b}$  by taking  $t$  to be sufficiently close to  $a$  but not equal to  $a$ .

If  $\vec{r}(t) = \langle f(t), g(t) \rangle$ , then

$$\lim_{t \rightarrow a} \vec{r}(t) = \left\langle \lim_{t \rightarrow a} f(t), \lim_{t \rightarrow a} g(t) \right\rangle$$

provided the limits of the component functions exist.