Math 142 - Exam 3 Review


NOTE: Exam 3 covers sections 5.4-5.6, 6.1, 6.2, 6.4, 6.5, 7.1, and 7.2. This review is intended to highlight the material covered on Exam 3 but should not be used as your sole source of practice. Also refer to your instructor's lecture notes, previous week-in-reviews, suggested homework, supplemental homework, and the online homework as additional sources for review and exam preparation.

- 1. Find the area bounded between $f(x) = x^3$ and g(x) = x.
- 2. The price-demand equation for a certain product is given by p = D(x) = 75 0.1x dollars per item, and the pricesupply equation for this product is $p = S(x) = 15e^{0.002x}$ dollars per item.
 - (a) Find the market equilibrium point. Round the equilibrium quantity to the nearest item, and round the equilibrium price to the nearest cent.
 - (b) Using your rounded answers in (a), find the producers' surplus at the equilibrium price level. What does this number represent?
- 3. Acme Media Company has a uniform annual demand for 21,600 DVDs. It costs \$0.50 to store a DVD for one year and \$294 to set up the machinery that produces their DVDs. How many times per year should Acme produce DVDs to minimize the total storage and setup costs?
- 4. Find the absolute extrema of $f(x) = (5-x)(x+7)^2$ on
 - (a) [-9, -5]
 - (b) (0,∞)
- 5. The U.S. Postal Service considers a package to be regular-sized if its length plus girth (distance around) does not exceed 84 inches.
 - (a) Find the dimensions of a rectangular box with square ends that satisfies this restriction and has maximum volume. What is the maximum volume?
 - (b) Find the dimensions (radius and height) of a cylindrical container that satisfies this restriction and has maximum volume. What is the maximum volume?
- 6. Find the equation of the curve that pases through the point (1,9) if its slope is given by $\frac{dy}{dx} = 8x^3 5x^{-1} + 4$ for all $x \neq 0$.
- 7. Compute each of the following by hand.

(a)
$$\int (e^{10x} - x)(e^{10x} - 5x^2)dx$$

(b) $\int \frac{\ln x + 7}{x}dx$
(c) $\int \left(3\sqrt{t} + \frac{5}{\sqrt[3]{t^8}} + \frac{6}{t} - 1\right)dt$
(d) $\int_1^2 m^2(m^4 - 7m^{-6})dm$
(e) $\int_0^{\frac{1}{7}} \frac{e^{7x}}{5 - e^{7x}}dx$
(f) $\int z(z+4)^8dz$

- 8. The price-demand equation for a certain item is given by $p = D(x) = -0.002(x+100)^2 + 7000$ dollars per item, where x is the number of items that can be sold at a price of \$p. If the current price per item is \$4,580, find the consumers' surplus. What does this number represent?
- 9. Acme Furniture Company's marginal cost for its dinette sets is given by $C'(x) = 3e^{0.01x} + \frac{375}{\sqrt{x}}$ dollars per set, where x is the number of dinette sets produced each month.
 - (a) Find the change in total cost that results from going from a production level of 100 to 150 dinette sets per month.
 - (b) If Acme's fixed cost for producing dinette sets is \$1,700, find a model for total cost.
- 10. Bob invested \$3,000 into an account paying 7.3% per year compounded continuously at the beginning of 2003. Find the average account balance during the second quarter of 2003.
- 11. Calculate the following definite integrals by referring to the graph of f(x) and indicated area below. (courtesy Jenn Whitfield)



(a)
$$\int_{b}^{0} f(x)dx$$

(b)
$$\int_{a}^{c} f(x)dx$$

(c)
$$\int_{b}^{d} f(x)dx$$

(d)
$$\int_{d}^{c} f(x)dx$$

- 12. Approximate the area under $f(x) = \sqrt{x-1} + 4$ on the interval [1,7] using a midpoint sum with 3 rectangles of equal width. Include an appropriate sketch with your answer.
- 13. If f(x) in the previous problem represents the rate at which a swimming pool is filling with water and is given in gallons per minute, where x is the number of minutes since 5:30pm, what does the approximated area above represent?
- 14. Find the area between $f(x) = 0.04x^2 1$ and g(x) = 0.2x + 1 on the interval [-7,7].

- (a) Find the domain of f(x).
- (b) Find all intercepts of f(x).
- (c) Find all asymptotes of f(x).
- (d) Find all intervals where f(x) is increasing and all intervals where f(x) is decreasing.
- (e) Find the coordinates of all local extrema.
- (f) Find all intervals where f(x) is concave upward and all intervals where f(x) is concave downward.
- (g) Find the coordinates of all inflection points.
- (h) Sketch the graph of f(x).
- 16. Suppose that x is a continuous random variable with associated probability density function

$$f(x) = \begin{cases} \frac{2}{x^3} & \text{if } x \ge 1\\ 0 & \text{otherwise} \end{cases}$$

Find the probability that *x* is less than 1.5.